

# Web services based workflows to deal with 3D data

The next generation of archives

Jose Enríque Ruíz del Mazo IAA - CSIC



### Index

- AMIGA e-Science developments
- · Archives Infrastructure
- · Web services to the rescue
- Scientific workflows
- Wf4Ever: Preserving digital experiments

The AMIGA Group

Analysis of the interstellar Medium of Isolated Galaxies

Statistical baseline of isolated galaxies to compare with the behaviour of galaxies in denser environments

### Multí $\lambda$ study of ~1000 galaxies

IAA-CSIC UNÍV. Granada, Obs. Marseille, Obs. París, NAOJ, FCRAO, UNAM, UNÍV. Edínburgh, IRAM, ESO, Kapteyn Astronomical Institute.

P.I. Lourdes Verdes-Montenegro http://amíga.íaa.es



# The virtual Observatory


- Interoperability and Discovery
- Publishing and Accessing Data
- Service Oriented Architecture (SOA)
- Integration of Software and Data
- Dístríbuted resources
- Panchromatic science
- Data Models
- Web Services
- Semantícs



### The AMIGA VO Catalog The Data Provider

#### Instituto de Astrofísica de Andalucía I CSIC Analysis of the Interstellar Medium of Isolated GAlaxies AMIGA **VO Interface** Query by name Query by parameters Search by name Technical development Team and collaborators submit reset Results & Onaoina Work Object Name Publications Conferences (Ex: CIG 4, UGC 00297.CIG 4%, etc..) Public Data Or/and Input a File Examinar... (Text file with a name per line) ASCIL Files Links AMIGA PUBLIC DATABASE SEARCH RESULTS 20 707 478 10.7 Sc (8) Search Search Keuword **CIG 155** 35 381 179 7.8 Sm (4), IB(s)m (7) Dpt. Astronomía Extragaláctica Alias names (Simbad Name Resolver Service) Instituto Astrofísica Andalucía CIG 155 SB(s)m pec? (3), Sd (4), SB(s)m pec: (7) 27 856 750 10.6 Camino Bajo de Huétor, 50 18008 Granada Spain 95 1711 1643 21.9 SO 2.383 10.01 2461 2398 32.0 Red image of CIG0155, with a size of 05 x 05 arcmin, from DSS2 4.249 9.28 2515 2451 32.7 Shc 4 Basic Data 2.222 9.67 1556 1507 20.1 6 Coordinates RA J2000 DEC J2000 RA B1950 **DEC B1950** 74 33875 78 1908 72.42666 78.1112 3.462 9.72 2821 2819 37.6 2 Sab Velocity V3K Distance 1556 1507 20.1 Morph logy 2.435 9.28 1089 1062 14.2 Sh 3 Morph Morph rc3 Conf morph Bar Int 4.167 8.59 1099 1071 14.3 Sa 1 **Multiwavelength Information**

Ontical



y ? 1.591 5 -2.915 -3.160 -2.929 -3.174

v ? 0.925 5 -3.196 -3.394 -3.196 -3.394

y ? 1.181 5 -3.276 -3.408 -3.310 -3.449

### VO Archives Developments

#### Robledo DSS-63

- Madrid Deep Space Communication Complex (MDSCC)
- Fom single dish in Robledo de Chavela (Madrid)
- 5% operational time for observations
- K band Spectra (18 26 GHz)
- H20 Masers, methanol, NH3,...







#### TAPAS - IRAM 30M

- Telescope Archive for Public Access System
- Bolometric observations, maps, spectra
- Rotational molecular transitions
- ~200 scientific projects / year, 1TB

Radío Astronomy DAta Model for Single-dish telescopes

The AMIGA Group


Analysis of the interstellar Medium of Isolated Galaxies

Statistical baseline of isolated galaxies to compare with the behaviour of galaxies in denser environments

Need of intensive and complex analysis of 3D data 2D spatial + 1 Velocity




# velocity Datacubes



M. Kríps - ESO 3D2008 Workshop - Garching

# Groningen Image Processing System



Connectivity

- VO Archíves
- · vo software

### Accessibility

- · usability Gui
- VO Web Services

Kapteyn Astronomícal Institute IAA – CSIC

### BODEGA Below O DEgrees GAlaxíes

P.I. : D. Espada Legacy project of Submillimiter Array interferometer (SMA) http://bodega.iaa.es

IAA-CSIC CFA (Harvard-Smíthsonían Center for Astrophysics) ASIAA (Institute of Academía Síníca Astronomy and Astrophysics)

Molecular gas properties of a survey of nearby galaxies.

### 30 processed and reduced datacubes of galaxies

### The BODEGA 3D VO Catalog

#### The Data and Service provider

Analysis of the Interstellar Medium of Isolated GAlaxies

BODEGA Now zero degrees galaxies	About Team Publications	
Basic data	Images	
ſarget	12CO21	
Name: NGC5247     Class: Galaxy	oh: (download data)	
Coordinates		filter A
RA J2000: 13:38:3.00 hh:mm:ss.ss     DEC J2000: -17.88 deg Velocity	mom0: (download data)	2000 2x 1
• V: 1319.98 Km/s	· · · · · · ·	
<ul> <li>V: 1319.99 Km/s</li> <li>Redshift: 0.00440299</li> </ul>		
xtended data	mom1: (download data)	.15°
Provenance		1255 \$ 1.15
Telescope: SMA	, · · Maria	● ■ 11出 ####
<ul> <li>Bandpass: Millimeter bandwidth</li> <li>Beam Major Axis: 0.000982176 deg</li> </ul>	V and the former in the second	
Beam Minor Axis: 0.000892319 deg	sp: (download data)	Aladín VO Software
Beam Position Angle: -66.64 deg	~1	
Spatial		(c)1999-2009 Ud5/CNRS - Centre de Donnees astronomiques de Strasbourg 0 sel / 0 src 17Mb
Aperture angular size (width x height): 0.025 x 0.025 deg	1.644 1.944 1.644 1.644 1.644	
Spatial bin size (width x height): 8.3e-05 x 8.3e-05 deg	distrad: (download data)	$\land$
Spectral		
Spectral coord value: 1319.98 Km/s		
Width of spectrum: 999986.33 Km/s	time tone time pow pow most- Radio (pc)	
Start in spectral coordinate: 579.99 Km/s	Download Fits file	
Stop in spectral coordinate: 1579.98 Km/s		
Flux		jureual para
• Flux min : <b>0.0175</b> Jy/Beam		
Flux Support Extent (max): 0.7208 Jy/Beam		
Flux Support Extent (min): 0.0175 Jy/Beam	Right click and "Save	
	Link As" to download	
AMIGA 💽 😃 🦲	Number of points: 2250000	
	Size: 9011520 Kbs Open this with Aladdin Applet	

# The next generation of archives

Much wider For and spectral coverage

- Large volumes for an observed datacube
- · Subproducts are Virtual Data generated on-the-fly

#### Automated surveys


- Huge amounts of tabular data
- Services for Knowledge Discovery in Databases



### Cube sízes


	Low Res High Res		Res	Extreme Res		
Number	4 Bytes	4B	4 Bytes	4B	4 Bytes	4B
Resolution	2,048 x 2,048	16MB	8,192 x 8,192	268MB	12,288 x 12,288	603MB
Channels	16,384	0.27TB	16,384	4.39TB	16,384	9.8TB
Stokes & Weighting	1	0.27TB	1	4.39TB	4 + 1	49.5TB

ASKAP Cubes Prof. Kevín Vínsen




....

use of the European Grid Infrastructure May 2010 - May 2011




#### use of the European Grid Infrastructure May 2010 - May 2011

#### **High Energy Physics Excluded**



#### use of the European Grid Infrastructure May 2010 - May 2011

Astronomy & Astrophysics



### A Cloud of Services

## The overall picture

Distributed, scalable and flexible infrastructure

- Grid + Cloud may solve storage and processing
- Bandwidth is the issue

Bíg Data Science performance is highly dependent upon 1/0 data rates (local and transfer)

#### The data is the infrastructure

- Interconnected and interoperable archives
- Distributed, multi-wavelength and multi-facilities


Archives speaking Web Services ALMA, LSST, ASKAP, MeerKAT, LOFAR, Apertif,...


### A Cloud of Services

### 3D Data Services

- Cutout
- Resample
- Spectrum extraction
- 2D slice extraction
- Dímensional reduction
- Filtering/Flagging
- 2D Moments
- Complex transformations








### A Cloud of Services

# Exploration services

KDD - Knowledge Díscovery in Databases Understand what information is contained within the data in order to know how we can efficiently extract it

- Anomaly detection
- Cross-matching data
- Dimensionality reduction

Extraction of scientifically relevant information from a <u>multidimensional parameter space</u>.



**AMIG** 

vísit software

### Scientific Workflows


### Web-services-based users oriented workflows ARE NOT PIPELINES

- Archíved scíence-ready data
- Automation
- Repeatable results
- Reproducíble
- Encourage best practices
- Modular nature allows
  - Re-use
  - Re-purpose
- Expose the scientific method
- Formative




### Scientific Workflows


### Taverna A workflow enactment and management system





University of Manchester



- -







Analysis of the Interstellar Medium of Isolated GAlaxies

- 0

### Wf4Ever

#### Curating and preserving collaborative digital experiments



MANCHESTER

CTITUTO de ASTROFIS

- 1. Intelligent Software Components (ISOCO, Spain)
- 2. University of Manchester (UNIMAN, UK)
- 3. Universidad Politécnica de Madrid (UPM, Spain)
- 4. Poznan Supercomputing and Networking Centre (PSNC, Poland)
- 5. Universisty of Oxford (OXF, UK)
- 6. Instituto Astrofísica Andalucía (IAA-CSIC, Spain)
  - . Leiden University Medical Centre (LUMC, NL)



### All components related to the research lifecycle available, preserved and easily retrievable.

- Proposals
- Data
- Processes
- Workflows
- RESEARCHOBIECT Publications



http://wf4ever-project.org/



# The recipes store

- Find workflows
- Share workflows and files
- Find people
- Build communities
- Publish packages
- Tag workflows
- Score and rate workflows
- Comment on workflows
- Write reviews
- Access rights

	Home Users Groups Workflows Files Packs	
	All 🗘 (Search)	
ome » Workflows		New/Upload
	Workflows	Workflow 🛊 🐼
Search filter terms	« previous 1 2 3 4 131 next » Sort by: Rank \$	Log in / Register
0,	Showing 1309 results. Use the filters on the left and the search box below to refine the	Username or Email:
ilter by type	results.	Password:
Taverna 1 558 Taverna 2 506	(Search)	
RapidMiner 92		Remember me:
Bioclipse Scri 29	Taverna 1 🍈 Mapping OligoNucleotides to an assembly (v7) 🔍 View	OR
GWarkflawDL 24	Created: 13/02/09 @ 09:05:35   Last updated: 13/02/09 @ 09:08:20	Use OpenID:
Kepler 17	Original Uploader Credits: A Wassinki A Pieter Neerincx	d-
BioExtract Ser 13	Attributions: @s Blatagainst ENSEMBLE Danio_renio_Genome @s BlatBlastCombi	(eg: name.myopenid.com)
Trident (Packa 10	Blast against ENSEMBLE Danio_rerio_Genome (3) AppendToFile The Test Input for	(Log in)
Chemistry Plan 7	Mapping oligonucleotides to an assembly in Input for Mapping oligonucleotides to an	
LabTrove Tem 7	assembly	Need an account? Click here to register
ilter by tag		Forgot Password?
example 178	Version info The former version of the workflow expected that results from BioMART only report	Desides Test
) mygrid 103 Nocalworker 99	transcripts when the query (the probe in our case)	Popular Tags 25 tags
bioinformatics 88	are entirely encapsulated in an exen of that	[All Tags]
benchmarks 77	transcript. However, the BioMart service also returns transcripts when the query is not or only	hand handle (1) out
cheminformatics 65	partially overlapping with an exon in the stretch on	benchmarks   bio2rdf
protein 61	the assembly on which a transcript is defined. This resulted in too many oligos classified as having	bioinformatics   BLAST
obi 56	multiple transcripts or having multiple genes	cheminformatics   data integration
BLAST 49		ebi   example   gene
pathway 47	Rating: 0.0 / 5 (0 ratings)   Versions: 7   Reviews: 0   Comments: 0   Citations: 0	graph   kegg   Kegg Pathways
	Viewed: 419 times   Downloaded: 66 times	localworker   microarray
ilter by user	Tags (7):	mygrid   ondex   pathway
Alan Williams 210	biomart   BLAST   blat   ensembl   microarray   r   rshell	pathways   phenotype   protein
Paul Fisher 89 Antoon Goderis 82		pubmed   sequence   taverna
) Antoon Goderis 82 ) Peter Li 63	Taverna 1 Add Mesh String to Biological Process (v2)	text mining   workflow
Hamish McWil 52	Created: 03/10/07 @ 18:36/28   Last updated: 03/12/09 @ 16:42:48	i (v2)
Francois Belleau 43	Original	
Franck Tanch 27	upicader	
Andreas Hohe 26	This workflow is designed to add the following MeSH term to the end of a KEGG pathway name:	
Anja Le Blanc 25	AND "Metabolic Networks and Pathways" [MeSH	
Egon Willigha 24	Terms] Example input for this service is as	
	Eigi Paul         Image: The second seco	

### Wf4Ever

# Astronomy research is entirely digital Time has come to go "Beyond the PDF"

- Preserved experiments
- Methodology "in action"
- All data exposed
- Reproducíble
- Repeatable
- Re-usable
- Re-purposeable
- Collaborative
- Formative





# Open questions for Web Services In the virtual Observatory

- Curation and preservation (identifiers)
- Discovery (semantics) of web services
- Characterization: input, outputs, functionality, etc.
- Copies (authenticity) or similar used as alternates
- Permissions (authentication), licenses, platform, costs,..
- Metrics for quality: popularity, use stats, logs uptime, etc.
- Versioning and authoring (referenced and acknowledged)

In a cloud of services and data, web services should benefit of the same privileges acquired by Data.



We are moving into a world where

- computing and storage are cheap
- data movement is death

Archives should evolve from data providers into virtual data and services providers, where web services may help to solve bandwidth issues.

#### Web Services

- Smaller virtual data subproducts
- Dístríbuted, multí-archíve, multí-wavelength astronomy
- Workflows as a disruptive working methodology

### Thanks!



Analysis of the Interstellar Medium of Isolated GAlaxies

•

- 1